

**All *Salmonella enterica* subspecies *enterica* serotypes/
serogroups identified in 2017.**

2017 <i>Salmonella</i> serotypes isolated	All Species	Bovine	Avian	Equine	Other ¹
Total <i>Salmonella enterica</i> subspecies <i>enterica</i> isolated	2158	1444	645	6	64
<i>Salmonella</i> Arizonae/Diarizonae					1
Total	0	0	0	0	1
Group B*	214	119	92	1	2
<i>Salmonella</i> Agona	20	11	8	1	
<i>Salmonella</i> Schwarzengrund	15	8	7		
<i>Salmonella</i> Typhimurium	89	36	49	2	2
<i>Salmonella</i> 4,[5],12:i:- (probable monophasic Typhimurium) ²	22	22			
<i>Salmonella</i> Heidelberg	64	61 ³	2		1
<i>Salmonella</i> Brandenburg	2	1	1		
<i>Salmonella</i> Stanley	1	1			
<i>Salmonella</i> Bredeney	1		1		
<i>Salmonella</i> Reading	4		4		
Total	432	259	164	4	6
Group C1*	94	60	23		11
<i>Salmonella</i> Infantis	16	12		1	3
<i>Salmonella</i> Braenderup	1	1			
<i>Salmonella</i> Othmarschen	3	3			
<i>Salmonella</i> Montevideo	111	109	1		1
<i>Salmonella</i> Thompson	3	2	1		
<i>Salmonella</i> Larochelle	1	1			
<i>Salmonella</i> Oranienburg	2	2			
<i>Salmonella</i> Ohio	1		1		
<i>Salmonella</i> Paratyphi B	1				1
<i>Salmonella</i> Rissen	1				1
<i>Salmonella</i> Mbandaka	27	8	19		
Total	261	198	45	1	17
Group C2*	212	86	123		3
<i>Salmonella</i> Kentucky	103	12	91		
<i>Salmonella</i> Newport	74	70	1		3
<i>Salmonella</i> Muenchen	10	10			
<i>Salmonella</i> Bovis Morbificans	1	1			
<i>Salmonella</i> Hadar	7		7		
<i>Salmonella</i> Herston	3		3		
<i>Salmonella</i> Albany	21		21		
<i>Salmonella</i> Manhattan	3	3			
Total	434	182	246	0	6

Group D*	258	252	1		5
<i>Salmonella</i> Ouakam	1		1		
<i>Salmonella</i> Panama	4	4			
<i>Salmonella</i> Dublin	113	110			3
<i>Salmonella</i> Enteritidis	5	1	1		3
Total	381	367	3	0	11
Group E*	97	10	87		
<i>Salmonella</i> Meleagridis	15	15			
<i>Salmonella</i> Muenster	21	6	15		
<i>Salmonella</i> Senftenberg	12	1	11		
<i>Salmonella</i> Uganda	35	0	35		
<i>Salmonella</i> GIVE	25	24		1	
<i>Salmonella</i> London	3	3			
<i>Salmonella</i> Anatum	15	15			
<i>Salmonella</i> Lexington	1	1			
<i>Salmonella</i> Nyborg	1	1			
<i>Salmonella</i> Amsterdam	3	3			
<i>Salmonella</i> Liverpool	23		23		
Total	251	79	171	1	0
Group G*	8	4	3		1
<i>Salmonella</i> Cubana	2	1			1
<i>Salmonella</i> Idikan	1		1		
<i>Salmonella</i> Havana	1		1		
<i>Salmonella</i> Worthington	8	8			
Total	20	13	5	0	2
Group I	1	1			
<i>Salmonella</i> Barranquilla	8	1	7		
Total	9	2	7	0	0
Group K*	139	118			21
<i>Salmonella</i> Cerro	227	226			1
Total	366	344	0	0	22
Group M*					
<i>Salmonella</i> Pomona	2		2		
Total	2	0	2	0	0
Group O*	1		1		
<i>Salmonella</i> Alachua	1		1		
Total	2	0	2	0	0

*Refers to *Salmonella* that was grouped but not serotyped.

¹Other Includes Canine, Porcine, Caprine, and Feline.

² *Salmonella* 4,[5],12:i:- is believed to be the monophasic variant of *Salmonella* ser. Typhimurium. *Monophasic Salmonella* ser. Typhimurium cannot be confirmed at the WVDL due to a lack of sera needed to perform confirmation.

³All bovine *Salmonella* ser. Heidelberg were MDR and a part of an outbreak investigation.